




S-L 东莞市盛联滤清器制造有限公司
 DONGGUAN SHENGLIAN FILTER MANUFACTURING CO.LTD
 Address: No.8 Chuangxin Road Yanwu Community Wanjiang
 District Dongguan Guangdong P.R China
 Tel : 0086-0769-88810448
 Fax : 0086-0769-88812519
 http : www.slfilter.com
 E-mail : sl@sfil.com



About Us

Dongguan Shenglian Filter was established in 1997. We focus on technological improvement and lean production of filters. "Efficient management, Continuous improvement, Perfect quality and Satisfying customers" is our motto. we use international first grade materials and advance manufacturing & testing equipment, meanwhile, we strictly follow ISO9001 quality control system. Therefore we ensure to provide better product with satisfied service.

Since January of 2015 we officially became a research execution base of South China University of Technology. We are confident to provide the suitable solution of filtration system for compressors with our cooperation partner.



History & Honors



1997 We started our career of filters
 2007 We obtained the certificate of ISO9001
 2012 We obtained the certificate of TS16949
 2014 We became the council member
 of Guangdong Air compressor association .
 2015 We officially became 'research execution base' partner
 of South China University of Technology



Advantage

Automatically Manufacturing



Air/oil separator Inner steel mesh rolling Air/oil separator Intermedia steel mesh rolling Ultrasonic Cleaning

Automatically wrapping High speed pleating Air filter manufacturing

Five position stretcher Automatically punching thread plates Automatically punching down plates

Automatically punching caps Automatically seaming Automatically spray painting

Overall Inspection



Paper Stiffness



Paper Permeability



Paper Pore Size



PALAS MFP3000



Filtration Efficiency
weight-counting
method Test-bed



Filtering Test-bed



Paper Strength



Filtration Efficiency
particle-counting
method Test-bed



Tensile Test-desk



Destructive Test



Pulse Testing




Multi-pass filtration
efficiency Test-bed

Filtration Media & Filter design


Microsimulation - Filtration Media Simulation

Rational system knowledge of complex filtration process



Macroscopic simulation - Simulation of filter

Simulate the filtration channels of filter and the filtration process of particle




Description

Air/oil separator

Air/oil separator is the most sensitive wearing part of air compressor but high quality one could not only guarantee the high working efficiency but also its life time can last for thousand hours.

SL Filter is using the international first grade filtration media. We promise to provide the economic air/oil separator but with long lifetime, low pressure drop and low residual oil according to the testing result of oil content in output air and the pressure drop.



Technical criteria of air/oil separator

Technical criteria


- Aspiration method : External / Internal
- Oil content in output air: < 3ppm
- Initial pressure drop: < 0.02MPa
- Installation method: Vertical , Screw in
- Off-work temperature: < 120°C
- Lifetime: > 4000hrs

Attention in application

- 1.The designed destructive pressure difference for air/oil separator is 5MPa. Therefore, when the pressure of compressor goes high the outlet valve should open gradually till reach the gas load. It is forbidden to let it go in suddent, otherwise the filter element will be damaged or crushed that causes a leakage of oil.
- 2.The return flow or frustration of air flow could damage the fine separation layer in filter element , which will cause the failure of element .
- 3.If the working flowrate is over 20% higher than the rated flowrate, the oil content in compressed air will definitely increase.
- 4.Lifetime only depends on the sedimentation of the solid particle in find separation layer so that it is necessary to choose high efficiency air filter and oil filter as well as to replace the lubrication oil .

Oil filter

Oil filter is located in lubrication system. Its duty is to remove the metal particles in compressor lubrication oil therefore the motor works smoothly when the oil in system is clean.



Characteristic of SL oil filter:


1. High filtration efficiency with first grade filtration media.
2. Low pressure drop, Long life time.
3. Good compression resistance, frustration resistance and temperature resistance (From -40°C to +120°C).
4. Best choices of adhesives that no oil leakage.

Replacement of oil filter:

1. Please replace when the working time reach the lifetime.
2. The design lifetime of filter element is about 2000 hours . After which it must be replaced. The lifetime will be shorten if the working condition is worse.
3. If the alarm was on within lifetime the filter element must be replaced. The setting alarm value generally is 3 bar.

The hazards when filter element exceeded the lifetime:

If the return oil is not enough, the outlet air temperature will be high. It will shorten the lifetime of air/oil separator. And the motor will be damaged if there is not enough lubrication as well as lots of metal particles came from failure filtration owing to the filter breakage




Air filter

Air filter is used to filtrate the dust impurities in air before it goes inside the compressor. It can protect the precision parts and guarantee the lifetime of filter elements. Therefore the compressor runs under a clean environment that can avoid "Hold death" even scrapped.

SL filter characteristic:

The efficient filtration area and tips of folding points will increase the filtration area.


Evenly divided between pleats can guarantee the smooth flow channel that filter can have better dust hold capacity.




EVA application and winding manufacturing process can guarantee the filter element strength.

Flat pleat on tips of fold points can lower the structure resistance and prevent deformation.

1-3 μm particle penetration comparison in-between filtration media.



We applied F7 grade filtration media whose efficiency of 1-3 μm particle can reach 80%-85%. Only about 15%-20% of 2 μm particle will enter the compressor, which is a third of particle quantity that M5 media allowed.



Air filter replacement :


1. Please replace the element when reached the designed lifetime.
2. The designed lifetime of air filter element is 2000 hours. Only can extend the working hour if the machine works under a clean environment, but no more than 1000 hours. Instead, it should be shorten the working hours when it is under a worse working environment.
3. If the alarm is on please replace the filter element . The setting alarm value of pressure drop is 0.05 bar.

The hazards when filter element exceeded the lifetime:


1. Output air will decrease when the intake air is not enough.
2. Lifetime of compressor will be shorten if the compressor is over load, which owing to the huge pressure drop of filter element.
3. The foreign particles will enter the system when the filter element is damaged therefore compressor will 'Hold death' even scrapped.

Test of Air filter element


Dust holding capacity comparison (0.4 μm particle)



The plot of flow rate against the resistance



The plot of resistance



Catalogs

ATLAS COPCO 阿特拉斯

机器型号 Machine Model	油气分离器 Air/Oil Separator			空气滤清器 Air Filter			油过滤器 Oil Filter		
	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N
GA5/7/10	SQ2531	1513005800	SB502 ; DB2135	SA-K8115	1503019000	Ca071152 ; C1632	SO-M6178	1513033700	W719/13 ; H071100 ;
GA5/7/10/5C/7C/11C	SQ3137	1613901400	4930052161 ; SD311 ; DE4025 ;	SA-K8140	1613900100	Ce080100 ; C1140	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA5C/7C/11C	SQ623	1622087100	SS904 ; AA0920 ; LB962/2 ; DF5005 ; DSP070.0	SA-K8140	1613900100	Ce080100 ; C1140	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA11/15/18/22	SQ3099	1612386900	SC624 ; DC3001 ; 4900153261 ;	SA-K8316	1619126900	Ca122140 ; C1450	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA11/15/18/22	SQ3141	1613692100	Sc622 ; DC3066 ; 4930153141 ;	SA-K8316	1619126900	CA122140 ; C1450	SO-M6030	1613610500	H092101 ; W962/14 ; HAC6105
GA11/15/18/22	SQ3178	1613750200	SC621 ; DC3077 ; DC3133	SA-K8316	1619126900	Ca122140 ; C1450	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA11/15/18/22/30C	SQ3652	1622007900	SD156 ; DE4033	SA-K8069	1613872000	CE134118 ; C1250	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA11/15/18/22/30C	SQ3656	1622051600	SD322 ; DE4039	SA-K8069	1613872000	CE134118 ; C1250	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA11/15/18/22/30C	SQ3656	1622051600	SD322 ; DE4039	SA-K8069	1613872000	CE134118 ; C1250	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA11/15/18/22/30C	SQ3855	1625703600	SC855 ; 2901196300	SA-K8069	1613872000	CE134118 ; C1250	SO-M6172	1622783600	H092101 ; W962/14 ; HAC6105
GA11/15/18/22	SQ627	1622035101	SS908 ; AA1040 ; LB11102/2 ; DF5009 ; DSP090.0	SA-K8069	1613872000	CE134118 ; C1250	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GAe11/15/18	SQ665	1625775300	SS945	SA-K8069	1613872000	CE134118 ; C1250	SO-M6290	1625752500	H092105
GAe22/26/30	SQ663	1625775400	SS943	SA-K8069	1613872000	CE134118 ; C1250	SO-M6290	1625752500	H092105
GA30/37	SQ3179	1202641400	SC660 ; DC3130 ; DC3032	SA-K7305	1619279700	CK353166 ; C17225/3 ; C11158.1014	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA30/37/45	SQ3176	1613688000	SC650 ; DC3065 ; DC3132 ; 2901021300	SA-K7305	1619279700	CK353166 ; C17225/3 ; C11158.1014	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA30/GA37	SQ3636	1613839700	SC648 ; DC3137	SA-K8302A	1613740700	CB375159 ; C16400	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA37/45/50/55C/50VSD	SQ3682	1613839702	SC648A	SA-K8301A	1613740800	CB400194 ; C20500	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA30/37/45/50	SQ3653	1622314000	SD161 ; 2901162600	SA-K8301A	1613740800	CB400194 ; C20500	SO-M1667	1622314280	H082150 ; HAC3142

ATLAS COPCO
阿特拉斯

机器型号 Machine Model	油气分离器 Air/Oil Separator			空气滤清器 Air Filter			油过滤器 Oil Filter		
	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N
GA30AP/37AP/45AP	SQ3680	1622646000	SD160 ; 2901156300	SA-K8302A	1613740700	CB375159 ; C16400	SO-M1667	1622314280	H082150 ; HAC3142
GA55/75/90	SQ3256	1613730600	SC709 ; DFE220350-02 ; DC3085	SA-K7303A	1619279800	CK383228 ; C23440/1	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA55/75/90	SQ3145	1613800700	SC722 ; 4930252251 ; DC3110 ; 2901043200	SA-K8305A	1613800400	CB403220 ; C23610	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA55/75/90C	SQ3648	1613984000	SC844 ; DC3219 ; 2901085800	SA-K8304	1613950300	CB415246 ; C25 860/2	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
Ga55 ⁺ /75 ⁺	SQ3605	1622365600	SC404	SA-K8304	1613950300	CB415246 ; C25 860/2	SO-M1668	1622365200	H083450 ; HAC3142
GA55AP/75AP	SQ3654	1622569300	SD162 ; 2901162610	SA-K8614	1622185501	CB360227 ; C23632/1	SO-M1667	1622314200	H083450 ; HAC3142
GA90AP	SQ3605	1622365600	SC404	SA-K8304	1613950300	CB415246 ; C25860/2	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA90/110/132/160	SQ3175	1614642300	SC761 ; DC3051 ; DC3131	SA-K7306	1619378400	CK358350 ; 1030097900 ; 1621574299	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA90/110	SQ3642	1614905400	SC831 ; DC3185	SA-K7306	1621057499	CK358350 ; 1030097900 ; 1621574299	SO-M6172	1621054700	H092101 ; W962/14 ; HAC6105
GA90/110	SQ3602	1621938499	SC401	SA-K7306	1621574299	CK358350 ; 1030097900 ; 1621574299	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA90/110	SQ3642	1614905400	SC831 ; DC3185	SA-K8144	1621510700	CB628281 ; 2914510700 ; C281440	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA90/110 from 2009.3	SQ3642	1614905400	SC831 ; DC3185	SA-K8145	1621737600	CB562281 ; C281275/1	SO-M6208	1621737800	H133015
GA132/160	SQ3643	1614905600	SC832 ; DC3186	SA-K7306	1621057499	CK358350 ; C36840/1	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA132/160	SQ3603	1621938599	SC402	SA-K7306	1621574299	CK358350 ; C36840/1	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
GA132/160 from 2009.3	SQ3643	1614905600	SC832 ; DC3186	SA-K8145	1621737600	CB562281 ; C281275/1	SO-M6208	1621737800	H133015
GA132/160/180	SQ3643	1614905600	SC832 ; DC3186	SA-K8144	1621510700	CB628281 ; 2914510700 ; C281440	SO-M6172	1613610500	H092101 ; W962/14 ; HAC6105
Ga132 ⁺ -7.5bar	SQ3862	1623051599	SC862 ; 1623051500	SA-K8145	1621737699	CB562281 ;	SO-M6208	1621737890	H133015
Ga160 ⁺ -7.5bar	SQ3863	1623051499	SC862	SA-K8145	1621737699	CB562281 ;	SO-M6208	1621737890	H133015
GA200/250/315	SQ3165	1614704800	SC776 ; DC3099 ; 4930752112 ;	SA-K7306	1030097900	CK358350 ; C36840/1	SO-M6174	1614727300	H102600 ; W11102/12 ; HAC7273
GA200/250/315	SQ3646	1614952100	SC843 ; DC3218	SA-K7306	1621054799	CK358350 ; C36840/1	SO-M6174	1614727300	H102600 ; W11102/12 ; HAC7273



LIUTECH
富达

机器型号 Machine Model	油气分离器 Air/Oil Separator			空气滤清器 Air Filter			油过滤器 Oil Filter		
	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N
LU132-180	SQ2159	2205-4365-14	SB772 ; 4930553101 ; DB2090	SAK7374	2205-4338-06	CK445300	SO-M6175	2205-4319-00	H133000 ; HIR8262
LU200-250	SQ3646	2205-4904-16	SC843 ; DC3218DB2132	SAK7306	2205-4904-20	CK358350	SOM6175	2205-4319-00	H133000 ; HIR8262
LU315-500	SQ3646	2205-4904-16	SC843 ; DC3218DB2188	SAK7357	2205-4338-07	CK620300	SOM6175	2205-4319-00	H133000 ; HIR8262
LU510-5.5/7.5	SQ621	DF5010	SS902 ; AA0710 ; LB719/2 ; DF5010 ; DSP012.0	SA-K7354	KLZ02-01	CK135110	SO-M6177	SH8119	H091406 ; W940/5
LU610-11/15	SQ623	DF5005	SS904 ; AA0920 ; LB962/2 ; DF5005 ; DSP070.0	SA-K7354	KLZ02-01	CK135110	SO-M6177	SH8119	H091406 ; W940/5
LI71018.5/22	SQ631	DF5006	SS912 ; AA1330 ; LB1374/2 ; DF5006 ; DSP300.0	SA-K7432	KLZ04-01	CK310140	SO-M6177	SH8119	H091406 ; W940/5
LU810-30	SQ632	DF5004	SS913 ; AA1355 ; LB13145/3 ; DF5004 ; DSP400.0	SA-K7432	KLZ04-01	CK310140	SOM6177	SH8119	H091406 ; W940/5
LU910-30	Sq2139	DB2186	SB564 ; 4930153101	SA-K7356	KLZ12-01	CK170300 ; ; 2205- 4338-05	SOM6172	SH8149	H092111 ; W1170
LU910-37	SQ2147	DB2132	SB580 ; 4930253131 ; DB2132	SA-K7356	KLZ12-01	CK170300	SOM6172	SH8149	H092111 ; W1170
LU910-45/55/75	SQ2292	DB2188	DFN170400-01 ; DB2188	SA-K7304A	KLZ10-01	CK355198	SO-M6175	LW1330	H133000 ; HIR8262
LU1000-110/132	SQ2154	DB2138	SB717 ; 4930353111 ; DB2138	SA-K7374	KLZ20-01	CK445300	SO-M6175	LW1330	H133000 ; HIR8262
LU2000-315/355/400	SQ2562	DB2084	SB727 ; DB2084	SAK7374	KLZ20-01	CK445300	SOM6175	LW1330	H133000 ; HIR8262
LU1000-160	SQ2159	DB2090	SB772 ; 4930553101 ; DB2090	SA-K7357	KLZ30-01	CK620300	SOM6175	LW1330*2	H133000 ; HIR8262
LU2000-200/250	SQ2159	DB2090*2	SB772 ; 4930553101 ; DB2090	SA-K7357	KLZ30-01	CK620300	SOM6175	LW1330*3	H133000 ; HIR8262
LU5-11	SQ623	2205-4065-08	SS904 ; AA0920 ; LB962/2 ; DF5005 ; DSP070.0	SAK8327	22051068-02	CB160123	SOM6172	2205-4000-05	H092111 ; W1170
LU15E	SQ631	2205-4065-09	SS912 ; AA1330 ; LB1374/2 ; DF5006 ; DSP300.0	SAK8327	2205-1068-02	CB160123	SO-M6172	2205-4000-05	H092111 ; W1170
LU15-30E	SQ632	2205-4065-07	SS913 ; AA1355 ; LB13145/3 ; DF5004 ; DSP400.0	SA-K8367	2205-1164-01	CA115198	SO-M6172	2205-4000-05	H092111 ; W1170
LU30-55E	SQ2147	2205-4065-03	SB580 ; 4930253131 ; DB2132	SA-K7395	2205-1312-01	CK365205AB	SO-M6175	2205-4319-00	H133000 ; HIR8262
LU55-90E	SQ2292	2205-4065-12	DFN170400-01 ; DB2188	SA-K7358	2205-4904-93	CK410300	SO-M6175	2205-4319-00	H133000 ; HIR8262
LU90-110	SQ2562	2205-4065-02	SB727 ; DB2084	SA-K7374	2205-4338-06	CK445300	SO-M6175	2205-4319-00	H133000 ; HIR8262

COMPARE
康普艾

机器型号 Machine Model	油气分离器 Air/Oil Separator			空气滤清器 Air Filter			油过滤器 Oil Filter		
	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N
MARATHON 220-222	SQ2570	10494574	SB814 ; DB2107	SA-K7301A	29504356	CK498243 ; C24650/1	SO-M6175	04425274	H133001 ; WD13145
MARATHON 250-302	SQ2570	11427274	SB814 ; DB2107	SA-K7302A	29504526	CK476303	SO-M6175	04425274	H133001 ; WD13145
MARATHON 350-422	SQ2389	10494474	SB282 ; 4930652111	SA-K7334	06296777	CK621327 ; C33920/3 ; 98262/192	SO-M6175	04425274	H133001 ; WD13145
MARATHON 420	SQ2578	11427474	SB856 ; DB2382	SA-K7334	06296777	CK621327 ; C33920/3 ; 98262/192	SO-M6175	04425274	H133001 ; WD13145
707PULS	SQ1396	59177	SA383 ; DA1080	SA-K8344	50273	CA083255	SO-M6178	53191	H071102 ; W719/5
711/715PULS, 68	SQ1397	70539	SA384 ; DA1081	SA-K8344	50273	CA083255	SO-M6410	56457	H090801 ; W917
822PULS	SQ1398	59180*2	SA388 ; DA1082	SA-K8347	50332	CA087350 ; 128(50332) 148	SOM6177	57562	H091406 ; W940/5
830PULS	SQ1398	59180*3	SA388 ; DA1082	SA-K8326	52438	CA110350 ; 178(52438) 218 258	SOM6177	57562	H091406 ; W940/5
837PULS	SQ1398	59180*3	SA388 ; DA1082	SA-K8326	52438	CA110350 ; 178(52438) 218 258	SO-M6172	59946	H092111 ; W1170
Cyclon 105/107	SQ621	98262/214	SS902 ; AA0710 ; LB719/2 ; DF5010 ; DSP012.0	SA-K8102	98262/201	CB120110 ; C1113	SO-M6411	98262/135	H070901 ; W712/4
Cyclon111	SQ623	98262/215	SS904 ; AA0920 ; LB962/2 ; DF5005 ; DSP070.0	SA-K8102	98262/201	CB120110 ; C1113	SO-M6411	98262/135	H070901 ; W712/4
Cyclon215	SQ623	98262/215	SS904 ; AA0920 ; LB962/2 ; DF5005 ; DSP070.0	SA-K8308	98262/205	CB150130 ; C1368	SO-M6172	98262/220	H092111 ; W1170
Cyclon218/222	SQ631	98262/216	SS912 ; AA1330 ; LB1374/2 ; DF5006 ; DSP300.0	SA-K8308	98262/205	CB150130 ; C1368	SO-M6172	98262/220	H092111 ; W1170
6030N	SQ2039	98262/102	4900051491 ; DB2004 ; SB552	SA-K7349	98262/84	CK110198	SO-M6172	98262/220	H092111 ; W1170
6040N	SQ2587	98262/121	DB2160 ; SB910	SA-K7305	C11158/1014	CK353166 ; C17225/3	SO-M6172	98262/220	H092111 ; W1170
6050N	SQ2148	98262/194	4930253301 ; DB2087 ; SB570	SA-K7305	C11158/1014	CK353166 ; C17225/3	SO-M6172	98262/220	H092111 ; W1170
6075N	SQ2299	98262/162	DFN220230-00 ; DB2062 ; SB621	SA-K7304A	52438	Ca110350 ; 178(52438) 218 258	SO-M6172	59946	H092111 ; W1170
6100N	SQ2035	98262/26	4900051331 ; DB2026 ; SB759	SA-K7303A	C11158/1041	CK383228 ; C23440/1	SO-M6412	98262/219	H102603
6150N	SQ2027	98262/78	4900051181 ; DB2029 ; SB770	SA-K7301A	C11158/1390	Cb120110 ; C1113	CK498243 ; C24650/1	SO-M6412	H102603
6180N	SQ2317	98262/173	DFN300350-00 ; DB2127 ; SB750CP	SA-K7334	98262/192	CK621327 ; C33920/3	SO-M6412	98262/219	H102603
6220N/6250N	SQ2678	98262/174	SB315	SA-K7334	98262/192	CK621327 ; C33920/3	SO-M6412	98262/219	H092111 ; W1170



COMPARE
康普艾

机器型号 Machine Model	油气分离器 Air/Oil Separator			空气滤清器 Air Filter			油过滤器 Oil Filter		
	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N
L07-11	SQ623	10533574	SS904 ; AA0920 ; LB962/2 ; DF5005 ; DSP070.0	SA-K8102	11207674	CB120110	SO-M6013	04819974	H091408 ; W940
L15-22	SQ631	13010174	SS912 ; AA1330 ; LB1374/2 ; DF5006 ; DSP300.0	SA-K8069	10001611	CE134118	SO-M6013	04819974	H091408 ; W940
L22S-37	SQ632	10525274	SS913 ; AA1355 ; LB13145/3 ; DF5004 ; DSP400.0	SA-K8668	11380674	CB155230	SO-M6171	11381974	H131702 ; WD1374
L30G-50G	SQ2679	100007587	SB298 ; 100007587	SA-K8613	100009925	CB310225 ; C23513	SO-M6171	11381974	H131702 ; WD1374
L45-75	SQ632	10525274	SS913 ; AA1355 ; LB13145/3 ; DF5004 ; DSP400.0	SA-K8301A	11323374	CB400194	SO-M6175	04425274	H133001 ; WD13145
L55G-80G	SQ2303	100005424	Sb637 ; DFN220305-00	SA-K8304A	100006374	CB415246	SO-M6019	04425274	H133001 ; WD13145
L75S-L132C	SQ2258	10882574	SB258	SA-K7301A	29504356	CK498243 ; C24650/1	SO-M6175	04425274	H133001 ; WD13145
L132-160	SQ2570	11427274	SB814 ; DB2107	SA-K8303A	11516974	CB588296	SO-M6175	04425274	H133001 ; WD13145
L200-250	SQ2578	11427474	SB856 ; DB2382	SA-K8303A	11516974	CB588296	SO-M6175	04425274	H133001 ; WD13145

INGERSOLL RAND
英格索兰

机器型号 Machine Model	油气分离器 Air/Oil Separator			空气滤清器 Air Filter			油过滤器 Oil Filter		
	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N
M90/M110/M132/M160	Sq2564	99277998	SB760 ; DB2205	SA-K8618	39903281	CA178378	SO-M6081	39911631	H112800 ; HIR1631
M90/M110/M132/M160	SQ2158	54509427	4930454131 ; SB455B ; SC2431	SA-K8618	39903281	CA178378	SO-M6081	39911631	H112800 ; HIR1631
VHP600/700	SQ2328	92062132	DFN400620-2X ; SB820 ; DB2061	SAK7302A	92035948	CK476303	SO-M1677	99274060	H104050 ; HIR4060
VHP600/700	SQ2328	92062132	DFN400620-2X ; SB820 ; DB2061	SA-K7302B	92035955	CT471161 ; CF1600	SO-M1677	99274060	H104050 ; HIR4060
S100-II	SQ2175	42841239	SB648	SA-K8321	99267031	CA252278	SO-M6171	42843797	H131700 ; HIR3797
S200-II	SQ2564	42841247	SB760 ; DB2205	SA-K7341	99266702	CH370268	SO-M6175	42843805	H133000 ; HIR8262
IR 37PE	SQ635	54749247	SS916 ; 3213013302 ; LB13145/21 ; DF5003 ; DSP400.6	SA-K8619	22203095	CB355162	SO-M6172	54672654	H092111 ; W962/14 ; HIR2654

INGERSOLL RAND
英格索兰

机器型号 Machine Model	油气分离器 Air/Oil Sperator			空气滤清器 Air Filter			油过滤器 Oil Filter		
	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N
Small UP	SQ623	22388045	SS904 ; AA0920 ; LB962/2 ; DF5005 ; DSP070.0	SA-K8140	88171913	CE080100 ; C1140	SO-M6177	39329602	H091418 ; WD940/2
UP5-11/15/22	SQ635	54749247	SS916 ; 3213013302 LB13145/21 ; DF5003 ; DSP400.6	SA-K8069	89295976	CE134118 ; C1250	SO-M6172	54672654	H092107 ; W962/14 ; HIR2654
UP5-30/37	SQ635	54749247	SS916 ; 3213013302 LB13145/21 ; DF5003 ; DSP400.6	SA-K8619	22203095	CB355162	SO-M6172	54672654	H092107 ; W962/14 ; HIR2654
M22S	SQ2686	54595442	SB294 ; 4930154211	SA-K8308	39588470	CB150130 ; C1368 98262/205	SO-M6172	39907175	H092107 ; HIR7175
M37S	SQ2686	54595442	SB294 ; 4930154211	SA-K8320	39588777	CB248130	SO-M6172	39907175	H092107 ; HIR7175
M45	SQ2675	22089551	SB900 ; 39895610	SA-K8313	39708466	CA125278 ; AC0027	SO-M6082	39911615	H112800 ; HIR1615
M55-75	SQ2313	54601513	DFN275180-2X ; SB700C ; DB2294	SA-K8313	39708466	CA125278 ; AC0027	SO-M6081	39911631	H112800 ; HIR1631
M55S-75S	SQ2313	39894597	SB700 ; DB2294 ; DFN275180-2X ;	SA-K8313	39708466	CA125278 ; AC0027	SO-M6081	39911631	H112800 ; HIR1631
M90-110/160	SQ2158	54509427	4930454131 ; SB455B ; SC2431	SA-K8618	39903281	CA178378	SO-M6081	39911631	H112800 ; HIR1631
M90-110/160	SQ2158	54509427	4930454131 ; SB455 ; SC2431 ;	SA-K8618	39903281	CA178378	SO-M6081	39911631	H112800 ; HIR1631
M132-160	SQ2158	54509427	4930454131 ; SB455A ; SC2431	SA-K8618	39903281	CA178378	SO-M6081	39911631	H112800 ; HIR1631
M200-250	SQ2464	22219174	SB373 ; 4930554221	SA-K8629	39903265	CA362380	SO-M6175	92888262	H133000 ; WD13145/4 ; HIR8262
XF/EP/HP/XP 75-100 II	SQ2175	42841239	SB648	SA-K8321	99267031	CA252278 ; 42855403	SO-M6083	99270134	H132000 ; HIR0134
XF/EP/HP/XP 75-100 II	SQ2175	42841239	SB648	SA-K8321	99267031	CA252278 ; 42855403	SO-M6171	42841361	H131700 ; HIR3797
XF/EP/HP/XP P75-100 SE	SQ2313	39894597	SB700 ; DB2294 ; DFN275180-2X ;	SA-K8321	42855403	CA252278 ; 42855403	SOM6171	42841361	H131700 ; HIR3797
XF/EP/HP/XP P75-100 SE	SQ2313	54601513	SB700 ; DB2294 ; DFN275180-2X ;	SA-K8321	42855403	CA252278 ; 42855403	SOM6171	42843771	H131700 ; HIR3797
XF/EP/HP/XP P 125-200	SQ2564	42841247	SB760 ; DB2205	SA-K7341	99266702	CH370268	SOM1677	99274060	H104050 ; HIR4060
XF/EP/HP/XP P 125-200	SQ2564	39799578	SB760 ; DB2205	SA-K7341	99266702	CH370268	SOM1677	99274060	H104050 ; HIR4060
XF/EP/HP/XP P 125-200 II	SQ2564	42841247	SB760 ; DB2205	SA-K8319	99273906	CA125278	SOM6175	42843805	H133000 ; HIR8262
XF/EP/HP/XP P 125-200 II	SQ2564	39739578	SB760 ; DB2205	SA-K8319	99273906	CA125278	SOM6175	42843789	H133000 ; HIR8262
125S/150S/175S/200S	SQ2564	39863865	SB760 ; DB2205	SA-K8618	39903281	CA178378	SO-M6081	39856836	H112800 ; HIR1631



FUSHENG
复盛

机器型号 Machine Model	油气分离器 Air/Oil Sperator			空气滤清器 Air Filter			油过滤器 Oil Filter		
	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N
SA220/230	SQ2024	91108-020	SB577 ; DB2009 ; 4900051121 ;	SA-K7373	71151-66010	CK178200	SO-M6249	91107-012	H092112 ; WD962
SA340	SQ632	91101-041	SS913 ; AA1355 ; LB13145/3 ; DF5004 ; DSP400.0	SA-K7373	71151-66010	CK178200	SO-M6249	91107-012	H092112 ; WD962
SA350	SQ2023	91101-040	SB593 ; DB2012 ; 4900051111 ;	SA-K7373	71151-66010	CK178200	SO-M6249	91107-012	H092112 ; WD962
SA360	SQ2025	91101-050	SB684 ; DB2020 ; 4900051131 ;	SA-K7373	71151-66010	CK178200	SO-M6249	91107-012	H092112 ; WD962
SA475/4100 /4125	SQ2027	91101-075	SB770 ; DB2029 ; 4900051181 ; 9610112-21700-M	SA-K7351	71131-66010	CK300230	SO-M6249	91107-012	H092112 ; WD962
SA5150	SQ2030	91101-150	SB779 ; DB2030 ; 4900051221 ;	SA-K7352	71182-66010	CK430350	SO-M6175	91107-032	H133005 ; WD13145
SA5175	SQ2038	91101-175	SB787 ; DB2055 ; 4900051481 ;	SA-K7352	71182-66010	CK430350	SO-M6175	91107-032	H133005 ; WD13145
SA5200/5250	SQ2043	91101-200	SB741 ; DB2147 ; 4900051541 ;	SA-K7352	71182-66010	CK430350	SO-M6175	91107-032	H133005 ; WD13145
SA5300/5350	SQ2044	91101-300	SB831 ; DB2129 ; 4900051581 ; 9610112-24200M	SA-K7352	71182-66010	CK430350	SO-M6175	91107-032	H133005 ; WD13145
SA-15/18/22	SQ627	7112131 1-46910	SS908 ; AA1040 ; LB11102/2 ; DF5009 ; DSP090.0	SA-M8142	9610512- N0450-M1	Cb320125 ; C14200	SO-M6249	71121111- 48120	H092117 ; W962
SA-30/37/45	SQ632	7113121 1-46910	SS913 ; AA1355 ; LB13145/3 ; DF5004 ; DSP400.0	SA-K8302A	9610512- N0800-M1	Cb375159 ; 1613740700 ; C16400	SO-M6249	71121111- 48120	H092117 ; W962
SA-55/60/75	SQ2155	9610112- 21601-M	SB743 ; DB2134 ; 4930353121 ;	SA-K7304	71142273 -66010	CK363195 ; 71106- 66010C	SO-M6249	71121111- 48120	H092117 ; W962
SA-90	SQ2155M	9610122- 21871-P	SB743M	SA-K7431	71141312 -66010	CK378230	SO-M6249	71121111- 48120	H092117 ; W962
SA-110	SQ2157	9610112- 22201-M	SB755 ; DB2102 ; 4930453101 ; 10882574	SA-K7435	71161412 -66010	CK520330	SO-M6249	71121111- 48120	H092117 ; W962
SA-120/125	SQ2157M	9610112- 22501-P	SB755M	SA-K7301A	71151171 -66010	CK478240	SO-M6249	71121111- 48120	H092117 ; W962
SA132-160	SQ2160	9610112- 22801-M	SB763 ; DB2089 ; 4930553111 ;	SA-K7435	71161412 -66010	CK520330	SO-M6249	71121111- 48120	H092117 ; W962
SA-185	SQ2159	9610112- 23401-M	SB772 ; DB2090 ; 4930553101 ;	SA-K7435	71161412 -66010	CK520330	SO-M6249	71121111- 48120	H092117 ; W962
SA-220/250	SQ3165	9610112- 27501-M	SC776 ; DC3099 ; 4930752112 ; 1614704800	SA-K7352	71161211 -66010	CK430350	SO-M6019	71161111- 40820	H133005 ; WD13145
SA-220/250(GD)	SQ1221	711632E1- 202EAU6013	SA528 ; DCC240790-0U	SA-K7072	711632E1 -21117151	CK410290	SO-K1673	711823E1- 2118345P	H073050 ; E18345

SULLAIR
寿力

机器型号 Machine Model	油气分离器 Air/Oil Separator			空气滤清器 Air Filter			油过滤器 Oil Filter		
	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N	盛联型号 SL No.	原厂型号 OEM No.	其他型号 Other P/N
LS10-25/30/40HP	SQ2342	02250121-500	SB916 ; KV215-005P ; DB2381	SA-K7021A	040596	CK303154 ; 02250044-537 88290006-013	SO-M6060	250025-525	H111600 ; HSL525
LS10-25/30/40 NEW	SQ2342	02250121-500	SB916 ; KV215-005P ; DB2381	SA-K7021A	02250044-537	CK303154	SO-M6060	250025-525	H111600 ; HSL525
LS1Z2-50	SQ3638	02250100-755	SC731 ; DC3223	SA-K7025/2A	02250131-498	CK407173	SO-M6061	250025-526	H112802 ; HSL526
	SQ3239	02250100-756	Sc632 ; DFF150235-0U ; DC3224	#	#			#	
LS16-60/75	SQ2585	250034-116	SB898 ; DB2365	SA-K7015	02250131-499	CK330232	SO-M6061	250025-526	H112802 ; HSL526
	SQ3632	250042-862	SC605 ; DC3111	#	#			#	
LS16-60 NEW	SQ2585	02250061-137	SB898 ; DB2365	SA-K7301A	88290002-337	CK482238	SO-M6061	250025-526	H112802 ; HSL526
	SQ3632	02250061-138	SC605 ; DC3111	SA-K7301B	88290002-338	CT456126		#	
LS16-75 NEW	SQ2585	02250061-137	SB898 ; DB2365	SA-M7301A	88290002-337	CK482238	SO-M6061	250025-526	H112802 ; HSL526
	SQ3632	02250061-138	SC605 ; DC3111	SA-M7301A	88290002-337	CK482238		#	
LS16-100	SQ2585	250034-116	SB898 ; DB2365	SA-K7345A	02250046-012	CK440250	SO-M6061	250025-526	H112802 ; HSL526
	SQ3632	250042-862	SC605 ; DC3111	SA-K7345B	02250046-013	CT390145		#	
LS16-100 NEW	SQ2585	02250061-137	SB898 ; DB2365	SA-K7301A	88290002-337		SO-M6061	250025-526	H112802 ; HSL526
	SQ3632	02250061-138	SC605 ; DC3111	SA-K7301B	88290002-338	CT456126		#	
LS20-125	SQ2315	250034-085	SB735 ; DFN275620-00 ; DB2219	SA-K7072	02250135-148	CK395290	SO-M6061	250025-526	H112802 ; HSL526
	SQ3243	02250048-734	SC823 ; DFF150465-0U ; DC3141	SA-K7430	409854	CT355175		#	
LS20-150 NEW	SQ2315	250034-085	Sb735 ; DFN275620-00 ; DB2219	SA-K7346	88290001-469	CK380308	SO-M6061	250025-526	H112802 ; HSL526
	SQ3243	02250048-734	Sc823 ; DFF150465-0U ; DC3141		#			#	
LS20-175/200	SQ2099	250034-122	SB777U ; 4900655241 ; 4900051221	SA-K7392	02250135-150	CK617324	SO-M6061	250025-526	H112802 ; HSL526
	SQ3293	250034-134	SC293	SA-K7431	048463	CT559209		#	
LS25S-250/300/350 NEW	SQ2330	250034-124	Sb826 ; DFN475565-1U ; DB2223	SA-K7410A	88290001-466	CK564383 ; XC1-8159	SO-M1670	02250139-996	H095050 ; HSL996
	SQ3639	250034-130	SC742	SA-K7410B	88290001-467	CT480240 ; XC8167		#	



盛联滤清器
Strive for excellent filters

